



FAW
TRUCKS





Rigid Truck

Model	:	CA1041P90K41L2
Drive Type	:	Flat-head, single cab, 4×2 rear wheel drive
Dimension	(mm):	5860 × 1900 × 2300
GVW	(kg):	3870
Curb Weight	(kg):	2120
Payload Weight	:	
Engine Model	:	CA498
Displacement	(L):	3.168
Power	KW / (r/min):	76 / 3600
Max. Torque	N.m / (r/min):	196 / 2000
Exhaust Class	:	Euro I
Clutch	:	Single disc, diaphragm spring
Transmission	:	JC5-28, 5 forward, one reverse
Rear Axles	:	Stamped and welded
Cab	:	
Type of Cab Lifting Mechanism	:	Manual hydraulic
Suspension	:	Flat Spring
Tyres	:	6,50-16
Wheel Base	(mm):	3100
Qty of Axles	:	2
Capacity of Fuel Tank	(L):	70
Passengers	:	2
Top Speed	(km/h):	90
Other Configuration	:	Good Quality imported Clutch, with PTO, No AC



Perfection Motor Co, Ltd.
No. 3 Ladipo Oluwole Avenue,
Ikeja Industrial Estate, Lagos
Phone +2348146932668 and +2348134847149
office@perfection-motor.com

www.perfection-motor.com



J5 TIPPER - 290/340

Model	:	CA3256P2K2T1A81	CA3256P2K2T1EA81
Drive Type	:	6×4	6×4
Dimension	(mm):	8073 x 2500 x 3360	8393 × 2500 × 3280
GVW	(kg):	30000	32000
Curb Weight	(kg):	12080	12080
Payload Weight	(kg):	17920	17920
Engine Model	:	WD10.290E32	WP10.340E32
Displacement	(L):	9.726	9.726
Power	KW / (r/min):	206 / 2200 (290 HP)	250 / 2200 (340 HP)
Max. Torque	N.m / (r/min):	1160 / 1400-1500	1350 / 1200-1600
Exhaust Class	:	Euro II	Euro II
Clutch	:	Φ 430	Single plate, dry type
Transmission	:	FULLER 9JS135, 9 forward, one reverse	RTD-11509C, 9 forward, one reverse
Rear Axles	:	FAW 457 Percussion welding rear axle Rear Axle (Main reducer rate=4.875)	300 wheel reduction
Adjustment Arm Type	:	Manual	Manual
Cab	(290 and 340):	J5P Flat-roof, Semi-floating cab with new designed interior	
Type of Cab Lifting Mechanism	:	Manual hydraulic	Manual hydraulic
Suspension	:	Flat Spring	Flat Spring
Tyres	:	11.00 R 2016	12.00R22.5-16
Wheel Base	(mm):	3700 + 1350	3825 + 1350
Qty of Axles	:	3	3
Tread	(mm):	1939 / 1840	1939 / 1840
Capacity of Fuel Tank	(L):	400	400
Passengers	:	2	2
Top Speed	:		
Other Configuration (290 a. 340):		Good Quality Clutch, with PTO, Double coin radial tyres	



Perfection Motor Co, Ltd.

No. 3 Ladipo Oluwole Avenue,

Ikeja Industrial Estate, Lagos

Phone +2348146932668 and +2348134847149

office@perfection-motor.com

www.perfection-motor.com



FAW
FAW



FAW
FAW

解放 J6P





J6 TRACTOR HEAD

Model	:	CA4250P66K24T1A4E
Drive Type	:	6×4
Dimension	(mm):	7160 x 2500 x 3560
GVW	:	
Curb Weight	(kg):	9140
Payload Weight	(kg):	
Engine Model	:	CA6DM2-37E3F
Displacement	(L):	11.040
Power	(HP):	375
Max. Torque	:	
Exhaust Class	:	Euro III
Clutch	:	Φ 430
Transmission	:	CA12TAX190M, 12 forward, 2 reverse
Rear Axles	:	485 rear axle (Main reducer rate=4.111)
Cab	:	J6 high-roof, all-floating cab with new designed interior
Type of Cab Lifting Mechanism	:	Electric
Suspension	:	Flat Spring
Tyre	s:	12R22.5-16
Wheel Base	(mm):	3450 + 1350
Qty of Axles	:	3
Capacity of Fuel Tank	(L):	400
Passengers	:	2 (with sleeping bed)
Top Speed	(km/h):	98
Other Configuration	:	Good Quality imported Clutch, with PTO, No AC



Perfection Motor Co, Ltd.
No. 3 Ladipo Oluwole Avenue,
Ikeja Industrial Estate, Lagos
Phone +2348146932668 and +2348134847149
office@perfection-motor.com

www.perfection-motor.com



J5 TRACTOR HEAD - 290

Model	:	CA4181P2K2A80
Drive Type	:	4×2
Dimension	(mm):	6039 x 2490 x 3350
GVW	:	
Curb Weight	(kg):	7105
Payload Weight	(kg):	
Engine Model	:	WD10.290E32
Displacement	(L):	9.726
Power	KW / (r/min):	209 / 2200
Max. Torque	N.m / (r/min):	1160 / 1400 ~1500
Exhaust Class	:	Euro II
Clutch	:	
Transmission	:	9JS135, 9 forward, one reverse
Rear Axles	:	
Cab	:	New J5P high-roof, all-floating, sun roof cab with new designed interior
Type of Cab Lifting Mechanism	:	Manual hydraulic
Suspension	:	Flat Spring
Tyres	:	12.00R2018
Wheel Base	(mm):	3500
Qty of Axles	:	2
Capacity of Fuel Tank	(L):	
Passengers	:	2
Top Speed	(km/h):	98
Other Configuration	:	Good Quality imported Clutch, with PTO, No AC



Perfection Motor Co, Ltd.
No. 3 Ladipo Oluwole Avenue,
Ikeja Industrial Estate, Lagos
Phone +2348146932668 and +2348134847149
office@perfection-motor.com

www.perfection-motor.com



J5 TRACTOR HEAD - 380/420

Model:	CA4258P2K2T1A80	CA4258P2K2T1A80
Drive Type	: 6×4	6×4
Dimension (mm):	6793 × 2490 × 3386	7093 × 2500 × 3386
GVW	:	
Curb Weight (kg):	8750	9050
Payload Weight (kg):		
Engine Model	: WP10.380E32	WD12.420
Displacement (L):	9.726	11.596
Power KW / (r/min):	280 / 2200 (380HP)	309 / 2200 (420HP)
Max. Torque N.m / (r/min):	1460 / 1400 ~1500	1750 / 1300 ~1600
Exhaust Class	: Euro II	Euro II
Clutch	: Φ 430	Φ 430
Transmission	: 12JS160T, 12 forward, 2 reverse	12JSD200T, 12 forward, 2 reverse
Rear Axles	: FAW 485 Percussion welding rear axle Rear Axle (Main reducer rate=4.111)	LB Percussion welding, wheel reduction Rear axle (Main reducer rate=4.42)
Cab (380 and 420):	New J5P high-roof, all-floating, sun roof cab with new designed interior	
Type of Cab Lifting Mechanism	: Manual hydraulic	Manual hydraulic
Suspension	: Flat Spring	Flat Spring
Tyres	: 12R22.5-16	12R22.5-16PR
Wheel Base (mm):	3150 + 1350	3450 + 1350
Qty of Axles	: 3	3
Capacity of Fuel Tank (L):	500	500
Passengers	: 2 (with sleeping bed)	2 (with sleeping bed)
Top Speed (km/h):	98	106
Other Configuration (380 a. 420):	Good Quality imported Clutch, with PTO, No AC	



Perfection Motor Co, Ltd.

No. 3 Ladipo Oluwole Avenue,

Ikeja Industrial Estate, Lagos

Phone +2348146932668 and +2348134847149

office@perfection-motor.com

www.perfection-motor.com



Perfection Motor Co, Ltd.

No. 3 Ladipo Oluwole Avenue,
Ikeja Industrial Estate, Lagos

Phone +2348146932668 and +2348134847149
office@perfection-motor.com

www.perfection-motor.com